























| Type - Tipo - Typ Type - Tipo | Size - Grandezza - Grösse Taille - Tamaño | Mounting - Montaggio Montage - Fixation Tipo de montaje | Ratio - Rapporto Untersetzung Reduction Relación |
|--|--|--|--|
| P | 311A | -F | 2.84 |
| <p>Aluminum one step gear Riduttori in alluminio a uno stadio</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  With IEC motor M </div> <div style="text-align: center;">  With motor flange P </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;">  With male input shaft R </div> <div style="text-align: center;">  Modular Base B </div> </div> <div style="border: 1px solid black; padding: 10px; margin-top: 20px; text-align: center;"> <p>Special output shaft Albero uscita speciale</p>  <p>Only on request for Q.ty A richiesta per quantità</p> </div> | <p>1 Stages Riduzioni Stufen Trains Etapas</p> <div style="border: 1px solid black; padding: 5px; margin-top: 20px; text-align: center;"> <p>211A 311A 411A 511A</p> </div> | <div style="text-align: center; margin-top: 20px;">  Without flange / feet -N </div> <div style="text-align: center; margin-top: 20px;">  Output flange mounted -F </div> <div style="text-align: center; margin-top: 20px;">  Mounted feet H1 </div> | <p>See technical data table</p> <p>Vedi tabelle dati tecnici.</p> <p>Technisches Datenblatt beachten</p> <p>Voir Tableau données techniques</p> <p>Ver tabla datos técnicos</p> |

3



On request we can deliver our products according to the ATEX
 A richiesta possiamo fornire i nostri prodotti secondo le normative ATEX
 Auf Anfrage können wir unsere Produkte den Richtlinien ATEX entsprechend liefern
 Sur demande nos produits peuvent se conformer à la réglementation ATEX
 A pedido, se pueden enviar nuestros productos de acuerdo con las normas ATEX.

| Output shaft Albero uscita Abtriebswelle Arbre de sortie Eje en salida | Output flange Flangia uscita Ausgangsflansch Bride de sortie Brida en salida | Motor size - Grandezza motore Motor Größe Motor Grösse Grandeur moteur - Tamaño motor | Mounting position Posizione montaggio Einbaulage Position de montage Position de montaje | Input bore Foro entrata Eingangshohlwelle Trou d'entree Eje hueco de entrada | Terminal box position Posizione morsettieria Klemmkastenlage Position boîte à bornes Posición caja de bornes |
|--|---|--|---|---|---|
| <p align="center">S</p>  <p>→ STANDARD</p> <p>211A</p> <p>S → ∅14</p> <p>311A</p> <p>S → ∅14</p> <p>C → ∅19</p> <p>E → ∅24</p> <p>411A</p> <p>S → ∅14</p> <p>C → ∅19</p> <p>E → ∅24</p> <p>G → ∅28</p> <p>511A</p> <p>C → ∅19</p> <p>E → ∅24</p> <p>G → ∅28</p> | <p align="center">2</p>  <p>N Senza flangia Without flange</p> <p>211A</p> <p>I → ∅105 Flangia integrata Integrated flange</p> <p>311A</p> <p>1 → ∅120</p> <p>2 → ∅140</p> <p>3 → ∅160</p> <p>4 → ∅200</p> <p>411A</p> <p>1 → ∅120</p> <p>2 → ∅140</p> <p>3 → ∅160</p> <p>4 → ∅200</p> <p>511A</p> <p>1 → ∅120</p> <p>2 → ∅140</p> <p>3 → ∅160</p> <p>4 → ∅200</p> <p>5 → ∅250</p> | <p align="center">-C</p> <p>Flange Flangia</p>  <p>B5</p> <p>-A=56 (∅120)</p> <p>-B=63 (∅140)</p> <p>-C=71 (∅160)</p> <p>-D=80 (∅200)</p> <p>-E=90 (∅200)</p> <p>-F=100+112 (∅250)</p> <p>-G=132 (∅300)</p> <p>Without flange Senza flangia</p>  <p>211A 311A</p> <p>-Z → ∅9 (56B5)</p> <p>-0 → ∅11 (63B5)</p> <p>-1 → ∅14 (71B5)</p> <p>411A</p> <p>-1 → ∅14 (71B5)</p> <p>-2 → ∅19 (80B5)</p> <p>-3 → ∅24 (90B5)</p> <p>511A</p> <p>-2 → ∅19 (80B5)</p> <p>-3 → ∅24 (90B5)</p> <p>-4 → ∅28 (100B5)</p> | <p align="center">B3</p>  <p>B3</p> <p>STANDARD</p>  <p>B6</p>  <p>B7</p>  <p>B8</p>  <p>V5</p>  <p>V6</p> | <p align="center">-</p> <p>Nothing indication: standard bore</p> <p>Nessuna indicazione: foro standard</p> | <p>With Type M specify terminal box position Con tipo M specificare posizione morsettieria</p>  <p>A</p>  <p>B</p> <p>STANDARD</p>  <p>C</p>  <p>D</p> |